

## AFR3732 Technical Data Sheet

1	WEAVE 组织		3*1 TWILL 斜纹	TEST METHOD 测试标准
2	YARN TEX	WARP	EC 11 136TEX	ISO 4602
		WEFT	EC 11 136TEX	
3	WIDTH 幅宽		100cm	DIN EN 1773
4	CLOTH WEIGHT 胚布克重		430 g/m <sup>2</sup>	DIN EN 12127
5	LAMINATED		ONE SIDE AL/PET LAMINATED 18 μM	
6	TOTAL THICKNESS 总厚度		0.4mm±0.05mm	DIN EN ISO 5084
7	THREAD COUNT 线密度	WARP 经向 WEFT 纬向	18 per cm 13 per cm	DIN EN 1049-2 DIN EN 1049-2
8	TENSILE STRENGTH MIN 抗张强度	WARP 经向 WEFT 纬向	3740N/5cm 1900N/5cm	EN ISO 13934-1 EN ISO 13934-1
9	TEMPERATURE RESISTANT 耐温度		BASIC FABRIC	550°C